



2025

TRAINING TABLE

NEW

CONTENT

FT001	Page 01-04
FT002	Page 05-08
FT003	Page 09-12
FT005	Page 13-14
FT007	Page 15-18
FT008	Page 19-22
FT009	Page 23-26
FT010	Page 27-30
FT011	Page 31-34
FT012	Page 35-36
FT013	Page 37-38
FT017	Page 39-42
FT018	Page 43-46
	Page 47-50
FT020	Page 51-54
FT028	Page 55-58
FT031	Page 59-62
FT032	Page 63-66
FT033	Page 67-68
FT034	Page 69-70
	Page 71-72
FT036	Page 73-74
FT037	Page 75-76
FT039	Page 77-82
FT040	Page 83-88
FT041	Page 89-96
折疊椅	Page 97-100
桌 架	Page 101-104

FD-001

底脚：铝合金，厚度2.0-3.5mm，镀铬；
Base: 2.0-3.5mm thickness aluminum alloy, chrome plate.
立柱：铝合金，厚度1.5-1.8mm，高温静电喷涂；
Column: 1.5-1.8mm thickness aluminum alloy, electrostatic painting
横梁：冷轧钢，厚度1.5mm，高温静电喷涂；
Beam: 1.5mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor



TRAINING TABLE



台架规格/Frame size

L=1100/1300/1500/1700mm
W1=490mm
W2=585mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
L2=1100/1300/1500/1700mm
W1=500-600 W2=320mm
H=750mm



FD-002

底脚：铝合金，厚度2.0-3.5mm，镀铬；
Base: 2.0-3.5mm thickness aluminum alloy, chrome plate.
立柱：铝合金，厚度1.5-1.8mm，高温静电喷涂；
Column: 1.5-1.8mm thickness aluminum alloy, electrostatic painting
横梁：冷轧钢，厚度1.5mm，高温静电喷涂；
Beam: 1.5mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor



TRAINING TABLE

台架规格/Frame size
L=1100/1300/1500/1700mm
W1=490mm
W2=585mm
H=725mm

成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=1100/1300/1500/1700mm
W1=500-600 W2=320mm
H=750mm



FT-001

底脚：铝合金，厚度2.0-3.5mm，镀铬；
Base: 2.0-3.5mm thickness aluminum alloy, chrome plate.
立柱：铝合金，厚度1.5-1.8mm，高温静电喷涂；
Column: 1.5-1.8mm thickness aluminum alloy, electrostatic painting
横梁：冷轧钢，厚度1.5mm，高温静电喷涂；
Beam: 1.5mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
W1=490mm
W2=585mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
L2=1100/1300/1500/1700mm
W1=500-600 W2=320mm
H=750mm



FT-001



FT-002

底脚：冷轧钢，厚度1.5-2.0mm，高温静电喷涂；

Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting

立柱、横梁：，厚度1.2-1.5mm，高温静电喷涂；

Column and Beam: 1.2-1.5mm thickness cold rolled steel, electrostatic painting

挡板、书网：冷轧钢，厚度1.0mm，高温静电喷涂；

Modesty Panel and bookshelf: 1.0mm thickness cold rolled steel, electrostatic painting

脚轮：2英寸尼龙脚轮；

Castor: 2" nylon castor



TRAINING TABLE



台架规格/Frame size

1100/1300/1500/1700mm

W1=385mm

W2=540mm

H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm

L2=1100/1300/1500/1700mm

W1=400-600 W2=350mm

H=750mm



FT-002



FT-003

底脚：冷轧钢，厚度1.5-2.0mm，高温静电喷涂；
 Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting
 立柱、横梁：冷轧钢，厚度1.2-1.5mm，高温静电喷涂；
 Column and Beam: 1.2-1.5mm thickness cold rolled steel, electrostatic painting
 书网：冷轧钢，厚度1.0mm，高温静电喷涂；
 Bookshelf: 1.0mm thickness cold rolled steel, electrostatic painting
 脚轮：2英寸尼龙脚轮；
 Castor: 2" nylon castor



TRAINING TABLE

台架规格/Frame size
 L=1100/1300/1500/1700mm
 W1=385mm
 W2=540mm
 H=725mm

成品规格/Top size and panel size
 L1=1200/1400/1600/1800mm
 L2=1100/1300/1500/1700mm
 W1=400-600 W2=350mm
 H=750mm



FT-003



FT-005

底脚：冷轧钢，厚度3.0mm，高温静电喷涂；
Base: 3.0mm thickness steel, electrostatic painting
立柱、横梁：冷轧钢，厚度2.0mm，高温静电喷涂；
Column and Beam: 2.0mm thickness steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor



TRAINING TABLE



台架规格/Frame size

L=1100/1300/1500/1700mm
W1=490mm
W2=550mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
L2=950/1150/1350/1550mm
W1=500-600 W2=350mm
H=750mm



FT-007

侧脚:冷轧钢, 厚度1.2mm,高温静电喷粉
Side base:1.2mm thickness cold rolled steel, electrostatic painting
横梁:冷轧钢, 厚度1.2-1.5mm, 高温静电喷粉
Column and Beam:1.2-1.5mm thickness cold rolled steel, electrostatic painting
书网:冷轧钢层板书网, 厚度1.0mm
Bookshelf:1.0mm thickness cold rolled steel, electrostatic painting
把手卡钩折叠, 轻易按压
Handle buckle operation folding, easy operation
脚轮: 2.0尼龙脚轮
Castor: 2" nylon castor



TRAINING TABLE

台架规格/Frame size
L1=1100/1300/1500/1700mm
W1=385mm
W2=520mm
H=725mm

成品规格/Top size
L1=1200/1400/1600/1800MM
Width/宽度=400-600

档板尺寸/panel size
L2=1050/1250/1450/1650mm
W2=300mm
H=750mm



FT-007



FT-008

底脚：冷轧钢，厚度2.0-3.5mm,镀铬；
 Base: 2.0-3.5mm thickness cold rolled steel, chrome plate.
 立柱：铝合金，厚度1.5-1.8mm，高温静电喷涂；
 Column: 1.5-1.8mm thickness aluminum alloy, electrostatic painting
 横梁：冷轧钢，厚度1.5mm，高温静电喷涂；
 Beam: 1.5mm thickness cold rolled steel, electrostatic painting
 脚轮：2.5英寸PU脚轮；
 Castor: 2.5" PU castor



TRAINING TABLE

台架规格/Frame size
 L=1100/1300/1500/1700mm
 W1=420mm
 W2=500mm
 H=725mm

成品规格/Top size and panel size
 L1=1200/1400/1600/1800mm
 L2=980/1180/1380/1580mm
 W1=500-600 W2=300mm
 H=750mm



FT-008



FT-009

底脚：冷轧钢，厚度2.0mm

Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting

立柱，横梁：冷轧钢，厚度1.2mm

Column and Beam: 1.0-1.5mm thickness cold rolled steel, electrostatic painting.

书网：冷轧钢，厚度1.0mm

Bookshelf: 0.8-1.0mm thickness cold rolled steel, electrostatic painting

脚轮：2.5英寸PU脚轮

Castor: 2.5" PU castor

旋转折叠机构

Rotating folding function



▲铁档板款



▲木档板款



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm

W1=300mm

W2=500mm

H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm

L2=980/1180/1380/1580mm

W1=400-600 W2=300mm

H=750mm



FT-009



FT-010A

侧脚：冷轧钢，厚度1.5mm,高温静电喷涂；
 Side Base: 1.5mm thickness cold rolled steel, electrostatic painting
 横梁：冷轧钢，厚度1.2-3.0mm，高温静电喷涂；
 Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting
 脚轮：2.5英寸PU脚轮；
 Castor: 2.5" PU castor
 书网：1.0mm 冷轧钢
 Bookshelf: 1.0mm cold rolled steel



TRAINING TABLE

台架规格/Frame size
 L=1100/1300/1500/1700mm
 W1=395mm
 W2=610mm
 H=725mm

成品规格/Top size and panel size
 L1=1200/1400/1600/1800mm
 L2=1000/1200/1400/1600mm
 W1=400-600 W2=350mm
 H=750mm



FT-010B

侧脚：冷轧钢，厚度1.5mm，高温静电喷涂；
Side Base: 1.5mm thickness cold rolled steel, electrostatic painting
横梁：冷轧钢，厚度1.2-3.0mm，高温静电喷涂；
Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor
书网：1.0mm 冷轧钢
Bookshelf: 1.0mm cold rolled steel



TRAINING TABLE

台架规格/Frame size
L=240*395/610*725mm
W1=395mm
W2=610mm
H=725mm

成品规格/Top size and panel size
L1=1600/1800mm
L2=320*325*215*16mm
W1=400-600 W2=350mm
H=750mm



侧脚：冷轧钢，厚度1.2-1.5mm,高温静电喷涂
Side base:1.5mm thickness cold rolled steel, electrostatic painting
立柱、横梁：冷轧钢，厚度1.0-1.5mm，高温静电喷涂；
Column and Beam: 1.0-1.5mm thickness cold rolled steel, electrostatic painting
书网：冷轧钢，厚度0.8-1.0mm，高温静电喷涂；
Bookshelf: 1.0mm thickness cold rolled steel, electrostatic painting
脚轮：2英寸尼龙脚轮；
Castor: 2.0" nylon castor

FT-011



TRAINING TABLE

台架规格/Frame size
L=1100/1300/1500/1700mm
W1=385mm
W2=540mm
H=725mm

成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=1000/1200/1400/1600mm
W1=400-600 W2=350mm
H=750mm



FT-011



FT-012

底脚：冷轧钢，厚度2.0mm
Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting
立柱，横梁：冷轧钢，厚度1.2mm
Column and Beam: 1.0-1.5mm thickness cold rolled steel, electrostatic painting.
书网：冷轧钢，厚度1.0mm
Bookshelf: 0.8-1.0mm thickness cold rolled steel, electrostatic painting
脚轮：2.0尼龙脚轮
Castor: 2" nylon castor



▲铁档板款



TRAINING TABLE

台架规格/Frame size
L=1100/1300/1500/1700mm
W1=385mm
W2=480mm
H=725mm

成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=1100/1300/1500/1700mm
W1=400-600 W2=350mm
H=750mm



侧脚：冷轧钢，厚度1.5mm,高温静电喷粉
Side base:1.5mm thickness cold rolled steel, electrostatic painting
侧脚；横梁：冷轧钢，厚度1.2-1.5mm， 高温静电喷粉
Column and Beam:1.2-1.5mm thickness cold rolled steel, electrostatic painting.
书网：冷轧钢，厚度1.0mm
Bookshelf:1.0mm thickness cold rolled steel, electrostatic painting
脚轮： 2.0尼龙脚轮
Castor: 2" nylon castor

FT-012



TRAINING
TABLE

台架规格/Frame size
L=1100/1300/1500/1700mm
W1=385mm
W2=500mm
H=725mm
成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=1100/1300/1500/1700
W1=400-600 W2=350mm
H=750mm



FT-017A

侧脚:冷轧钢, 厚度1.2mm,高温静电喷粉

Side base: 1.5mm thickness cold rolled steel, electrostatic painting

横梁 :冷轧钢, 厚度1.2-3.0mm, 高温静电喷粉

Column and Beam: 1.2-2.0mm thickness cold rolled steel, electrostatic painting

脚轮 :2.0"PU脚轮

Castor: 2.0"PU castor

旋转折叠机构

Rotary folding mechanism

书网:1.0mm冷轧钢

Bookshelf : 1.0mm cold rolled steel

台架规格/Frame size

L1=1150/1350/1550/1750mm

W1=280mm

W2=540mm

H=725mm

成品规格/Top size

L1=1200/1400/1600/1800MM

Width/宽度=400-600

挡板尺寸/panel size

L2=1000/1200/1400/1600mm

W2=300mm

H=750mm



FT-017B



台架规格/Frame size

L=383*300/540*725mm

W1=300mm W2=540mm

H=725mm

成品规格/Top size

L1= 1600/1800mm

W1=400-600mm

H=750mm

挡板尺寸/Panel size:

根据图纸/According to the drawing



FT-017



FT-018A

侧脚：冷轧钢，厚度1.5mm,高温静电喷涂；
Side Base: 1.5mm thickness cold rolled steel, electrostatic painting
横梁：冷轧钢，厚度1.2-3.0mm，高温静电喷涂；
Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor
书网：1.0mm 冷轧钢
Bookshelf: 1.0mm cold rolled steel
铁档板：0.8mm 冷轧钢档板
Steel panel: 0.8mm cold rolled steel



▲FT018-B款



FT-017B



台架规格/Frame size
L=1100/1300/1500/1700mm
W1=300mm
W2=550mm
H=725mm
成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=900/1100/1300/1500
W1=400-600 W2=350mm
H=750mm



FT-018



FT-020

底脚： 铝合金， 3.0mm,表面抛光电镀拉丝
 Base:3.0mm aluminium alloy
 立柱： 冷轧钢， 厚度2.0mm， 高温静电喷粉
 Column:2.0mm electronic painting
 脚轮： 3.0"PU脚轮
 Castor:3.0" PU castor
 中间折叠
 Centre folding



TRAINING TABLE

台架规格/Frame size
 L=1520/ 1820
 W1=450mm W2=800mm
 H=725mm

成品规格/Top size and panel size
 L1=1600-2400
 W1=800/1200
 H=750mm



FT-020



FT-028

立柱:冷轧钢, 厚度1.2mm,高温静电喷粉
Column: 1.2mm thickness cold rolled steel, electrostatic painting
底脚: 采用优质高精度冷轧钢压铸而成, 厚度1.5MM
Base: 1.5mmthickness cold rolled steel,Chrome plate or electrostatic painting
横梁 :冷轧钢, 厚度1.2mm, 高温静电喷粉
Beam: 1.2mm thickness cold rolled steel, electrostatic painting
旋转折叠机构
Rotary folding mechanism
书网:1.0mm冷轧钢
Bookshelf: 1.0mm cold rolled steel



TRAINING TABLE

台架规格/Frame size
L1=1100/1300/1500/1700mm
W1=300mm
W2=502mm
H=725mm

成品规格/Top size
L1=1200/1400/1600/1800mm
Width/宽度=400-500mm

档板尺寸/panel size
L2=1000/1200/1400/1600mm
W2=300mm
H=750mm



FT-028



FT-031

底脚： 铝合金， 3.0mm,表面抛光电镀拉丝
Base:3.0mm aluminium alloy
立柱： 冷轧钢， 厚度2.0mm， 高温静电喷粉
Column:2.0mm electronic painting
脚轮： 3.0"PU脚轮
Castor:3.0" PU castor
旋转折叠机构
Rotary folding mechanism
横梁： 冷轧钢， 1.2-3.0mm， 高温静电喷涂
1.2-3.0mm cold rolled steel, electrostatic painting



▲烤漆脚款 ▲塑料挡板款



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
W1=300mm W2=540mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
W1=400-600
H=750mm



FT-031



FT-032A

侧脚：冷轧钢，厚度1.5mm,高温静电喷粉
Side base: 1.5mm thickness cold rolled steel, electrostatic painting
横梁：冷轧钢，厚度1.2-3.0mm，高温静电喷粉
Column and Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting.
脚轮：2.5" PU脚轮
Castor: 2.5" PU castor
旋转折叠机构
Rotary folding mechanism
书网：1.0mm 冷轧钢
Bookshelf: 1.0mm cold rolled steel



▲塑料档板款



▲铁档板款



TRAINING TABLE

台架规格/Frame size
L=1120/1320/1520/1720mm
W1=300mm
W2=540mm
H=725mm

成品规格/Top size and panel size
L1=1150/1350/1550/1750
L2=1000/1200/1400/1600mm
W1=400-600 W2=350mm
H=750mm



FT-032B

侧脚：冷轧钢，厚度1.5mm,高温静电喷粉

Side base: 1.5mm thickness cold rolled steel, electrostatic painting

横梁：冷轧钢，厚度1.2-3.0mm，高温静电喷粉

Column and Beam: 1.2-3.0mm thickness cold rolled steel, electrostatic painting.

脚轮：2.5" PU脚轮

Castor: 2.5" PU castor

旋转折叠机构

Rotary folding mechanism

书网：1.0mm 冷轧钢

Bookshelf: 1.0mm cold rolled steel



TRAINING TABLE

台架规格/Frame size

L=383*300/540*725mm

W1=300mm W2=540mm

H=725mm

成品规格/Top size and panel size

L1= 1600/1800mm

W1=400-600mm

H=750mm



FT-033

底脚：冷轧钢，厚度2.0mm
 Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting

立柱，横梁：冷轧钢，厚度1.2mm
 Column and Beam: 1.2-1.5mm thickness cold rolled steel

挡板，书网：冷轧钢，厚度1.0mm
 Bookshelf and steel modesty panel: 1.0mm thickness

脚轮：2.0尼龙脚轮
 2.0 Nylon casters

旋转折叠机构
 Rotary folding mechanism



▲木档板款



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
 W1=300mm W2=430/540mm
 H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
 L2=1100/1300/1500/1700mm
 W1=400-600
 H=750mm



FT-034

底脚：冷轧钢，厚度2.0mm
 Base: 1.5-2.0mm thickness cold rolled steel, electrostatic painting
 立柱，横梁：冷轧钢，厚度1.2mm
 Column and Beam: 1.2-1.5mm thickness cold rolled steel
 挡板，书网：冷轧钢，厚度1.0mm
 Bookshelf and steel modesty panel: 1.0mm thickness
 脚轮：2.0尼龙脚轮
 2.0 Nylon casters
 旋转折叠机构
 Rotary folding mechanism



▲木档板款



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
 W1=300mm W2=430/540mm
 H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
 L2=1100/1300/1500/1700mm
 W1=400-600
 H=750mm



FT-035

侧脚：冷轧钢，厚度1.2-1.5mm,高温静电喷涂
Side base:1.5mm thickness cold rolled steel, electrostatic painting
立柱、横梁：冷轧钢，厚度1.0-1.5mm，高温静电喷涂；
Column and Beam: 1.0-1.5mm thickness cold rolled steel, electrostatic painting
书网：冷轧钢，厚度0.8-1.0mm，高温静电喷涂；
Bookshelf: 1.0mm thickness cold rolled steel, electrostatic painting
脚轮：2英寸尼龙脚轮；
Castor: 2.0" nylon castor
旋转折叠机构
Rotary folding mechanism



▲塑料档板款



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
W1=300mm W2=540mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
W1=400-600
H=750mm



FT-036

底脚： 铝合金， 厚度2.0-3.5mm,镀铬；
Base: 2.0-3.5mm thickness aluminum alloy, chrome plate.
立柱： 铝合金， 厚度1.5-1.8mm， 高温静电喷涂；
Column: 1.5-1.8mm thickness aluminum alloy, electrostatic painting
横梁： 冷轧钢， 厚度1.5mm， 高温静电喷涂；
Beam: 1.5mm thickness cold rolled steel, electrostatic painting
脚轮： 2.5英寸PU脚轮；
Castor: 2.5" PU castor
旋转折叠机构
Rotary folding mechanism



TRAINING TABLE

台架规格/Frame size

L=1100/1300/1500/1700mm
W1=420mm
W2=585mm
H=725mm

成品规格/Top size and panel size

L1=1200/1400/1600/1800mm
L2=970/1170/1370/1570mm
W1=500-600 W2=300mm
H=750mm



FT-037

底脚：冷轧钢，厚度1.5mm, 静电喷涂
Base:1.5mm thickness cold rolled steel, electrostatic painting
立柱：冷轧钢，厚度1.2mm, 静电喷涂
Column:1.2mm thickness cold rolled steel, electrostatic painting
横梁：冷轧钢，厚度1.5mm，高温静电喷涂；
Beam: 1.5mm thickness cold rolled steel, electrostatic painting
脚轮：2.5英寸PU脚轮；
Castor: 2.5" PU castor
书网：1.0mm 冷轧钢
Bookshelf: 1.0mm cold rolled steel
旋转折叠机构
Rotary folding mechanism



TRAINING TABLE

台架规格/Frame size
L=1100/1300/1500/1700mm
W1=420mm
W2=500mm
H=725mm
成品规格/Top size and panel size
L1=1200/1400/1600/1800mm
L2=980/1180/1380/1580mm
W1=450-600 W2=300mm
H=750mm



FT-039A

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉
Column : 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 采用优质高精度冷轧钢压铸底脚, 厚度1.5-2.0MM
Base: 1.5-2.0mm thickness cold rolled steel electrostatic painting

拉杆: 冷轧钢, 厚度1.0mm, 高温静电喷粉
Beam: 1.0mm thickness cold rolled steel, electrostatic painting

脚轮 :2.0" PU脚轮
Castor: 2.0"PU castor

把手连动折叠机构, 轻松操作
Handle folding, easy operation

可选配件/Accessory

书网:1.0mm冷轧钢
Bookshelf : 1.0mm cold rolled steel

书包挂钩
Bag holder



TRAINING TABLE

台架规格/Frame size
L1=1100/1300/1500/1700mm
W1=400mm
W2=430/540mm
H=725mm

成品规格/Top size
L1=1200/1400/1600/1800mm
Width/宽度=400-600mm

档板尺寸/panel size
L2=1000/1200/1400/1600mm
W2=300mm
H=750mm



FT-039B

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉

Column : 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 冷轧钢压铸底脚加钢板重合焊接而已, 厚度3.0MM

Base: 3.0mm thickness cold steel , electrostatic painting

拉杆: 冷轧钢, 厚度1.0mm, 高温静电喷粉

Beam: 1.0mm thickness cold rolled steel, electrostatic painting

脚轮 :2.0"PU脚轮

Castor: 2.0"PU castor

把手连动折叠机构, 轻松操作

Handle folding, easy operation

可选配件/Accessory

书网:1.0mm冷轧钢

Bookshelf : 1.0mm cold rolled steel

书包挂钩

Bag holder



TRAINING TABLE

台架规格/Frame size

L1=1100/1300/1500/1700mm

W1=400mm

W2=430/540mm

H=725mm

成品规格/Top size

L1=1200/1400/1600/1800mm

Width/宽度=400-600mm

档板尺寸/panel size

L2=1000/1200/1400/1600mm

W2=300mm

H=750mm



FT-039



FT-040

立柱:冷轧钢，厚度1.5mm,高温静电喷粉
 Column : 1.5mm thickness cold rolled steel, electrostatic painting
 底脚：冷轧钢压铸底脚加钢板重合焊接而已，厚度3.0MM
 Base: 3.0mm thickness cold steel , electrostatic painting
 横梁 :冷轧钢，厚度1.2mm，高温静电喷粉
 Beam: 1.2mm thickness cold rolled steel, electrostatic painting
 脚轮 :2.5"PU脚轮
 Castor: 2.5" PU castor
 拉杆折叠机构，轻松操作
 Handle folding, easy operation

可选配件/Accesory
 书网:1.0mm冷轧钢
 Bookshelf : 1.0mm cold rolled steel
 水杯托
 Water cup holder
 书包挂钩
 Bag holder



TRAINING TABLE

台架规格/Frame size
 L1=1100/1300/1500/1700mm
 W1=340mm
 W2=540mm
 H=725mm

成品规格/Top size
 L1=1200/1400/1600/1800mm
 Width/宽度=400-600mm

档板尺寸/panel size
 L2=1000/1200/1400/1600mm
 W2=300mm
 H=750mm



FT-040



FT-041A

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉
 Column : 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 采用优质高精度铝合金压铸成形, 厚度8.0MM
 Base: 8.0mm thickness aluminum alloy,Chrome plate or electrostatic painting

横梁 :冷轧钢, 厚度1.2mm, 高温静电喷粉
 Beam: 1.2mm thickness cold rolled steel, electrostatic painting

脚轮 :2.5"PU脚轮
 Castor: 2.5"PU castor

拉杆折叠机构, 轻松操作
 Handle folding, easy operation

可选配件/Accessory

书网:1.0mm冷轧钢
 Bookshelf : 1.0mm cold rolled steel

水杯托/Water cup holder

书包挂钩
 Bag holder



TRAINING TABLE

台架规格/Frame size
 L1=1100/1300/1500/1700mm
 W1=340mm
 W2=500mm
 H=725mm

成品规格/Top size
 L1=1200/1400/1600/1800MM
 Width/宽度=400-600mm

档板尺寸/panel size
 L2=1000/1200/1400/1600mm
 W2=300mm
 H=750mm





FT-041A

TRAININGTABLE 89-90

FT-041A



FT-041B

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉

Column: 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 采用优质高精度铝合金压铸成形, 厚度8.0MM

Base: 8.0mm thickness aluminum alloy, Chrome plate or electrostatic painting

横梁: 冷轧钢, 厚度1.2mm, 高温静电喷粉

Beam: 1.2mm thickness cold rolled steel, electrostatic painting

脚轮: 2.5"PU脚轮

Castor: 2.5"PU castor

拉杆折叠机构, 轻松操作

Handle folding, easy operation

可选配件/Accessory

书网: 1.0mm冷轧钢

Bookshelf: 1.0mm cold rolled steel

水杯托/Water cup holder

书包挂钩

Bag holder

TRAINING TABLE

台架规格/Frame size

L1=1100/1300/1500/1700mm

W1=340mm

W2=500mm

H=725mm

成品规格/Top size

L1=1200/1400/1600/1800MM

Width/宽度=400-600mm

档板尺寸/panel size

L2=1000/1200/1400/1600mm

W2=300mm

H=750mm

FT-041B



FT-043A

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉

Column : 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 冷轧钢压铸底脚加钢板重合焊接而已, 厚度3.0MM

Base: 3.0mm thickness cold steel , electrostatic painting

横梁 :冷轧钢, 厚度1.2mm, 高温静电喷粉

Beam: 1.2mm thickness cold rolled steel, electrostatic painting

脚轮 :2.5"PU脚轮

Castor: 2.5" PU castor

拉杆折叠机构, 轻松操作

Handle folding, easy operation

可选配件/Accessory

书网:1.0mm冷轧钢

Bookshelf : 1.0mm cold rolled steel

水杯托

Water cup holder

书包挂钩

Bag holder



TRAINING TABLE

台架规格/Frame size

L1=1100/1300/1500/1700mm

W1=340mm

W2=540mm

H=725mm

成品规格/Top size

L1=1200/1400/1600/1800mm

Width/宽度=400-600mm

档板尺寸/panel size

L2=1000/1200/1400/1600mm

W2=300mm

H=750mm



FT-043B

立柱:冷轧钢, 厚度1.5mm,高温静电喷粉

Column : 1.5mm thickness cold rolled steel, electrostatic painting

底脚: 冷轧钢压铸底脚加钢板重合焊接而已, 厚度3.0MM

Base: 3.0mm thickness cold steel , electrostatic painting

横梁 :冷轧钢, 厚度1.2mm, 高温静电喷粉

Beam: 1.2mm thickness cold rolled steel, electrostatic painting

脚轮 :2.5"PU脚轮

Castor: 2.5" PU castor

拉杆折叠机构, 轻松操作

Handle folding, easy operation

可选配件/Accessory

书网:1.0mm冷轧钢

Bookshelf : 1.0mm cold rolled steel

水杯托

Water cup holder

书包挂钩

Bag holder



FT-043C

台架规格/Frame size

L1=1100/1300/1500/1700mm

W1=340mm

W2=540mm

H=725mm

成品规格/Top size

L1=1200/1400/1600/1800mm

Width/宽度=400-600mm

档板尺寸/panel size

L2=1000/1200/1400/1600mm

W2=300mm

H=750mm



FT-043



C-032



▲ C032-A



▲ C032-B



▲ C032-C

C-164



▲ C164-A



▲ C164-B

C-180



▲ C180-A



▲ C180-B

C-002



C-003



C-004



C-005



C-006




C-007




Metal Swatches


台架色板展示



BRIGHT WHITE
亮白



WARM WHITE
暖白




WHITE SAND
砂白




SILVER
银色




FLASH SILVER
闪银



IRON GRAY
铁灰



BLACK
哑黑



BLACK SAND
砂黑



FT-001



FT-002



FT-003



FT-005



FT-007



FT-008

Desktop Swatches


台面色板展示



MAPLE
枫木



VILLA CHERRY
红樱桃



NACARATI
桔红




GREEN
果绿




WALNUT
浅胡桃



OAK
橡木



GREY
银灰



LIGHT BLUE
湛蓝



FT-009



FT-010A



FT-010B



FT-011B



FT-012



FT-013



FT-017A



FT-002



FT-018A



FT-034



FT-035



FT-036



FT-018B



FT-019A



FT-019B



FT-037



FT-039A



FT-039B



FT-020



FT-028



FT-031



FT-040



FT-041A



FT-041B



FT-032A



FT-032B



FT-033